



Specifications Ledvance LED  
Downlight Alu DN150 14W 1190lm  
100D - 830 Warm White | 160mm -  
IP44

[View Product](#)

## General Information

SKU	233336
EAN	4058075091436
Brand	Ledvance
Manufacturer Name	DL ALU DN150 14W/3000K WT IP44 LEDV
Any Lamp all-in warranty	5 Years
Average Lifetime (h)	50000

## Technical Information

Emergency Lighting	No Emergency Unit
Tiltable	No
Technology	LED Integrated
Replaces (Watt)	1x26
Wattage	14
Voltage (V)	220-240
Dimmable	Not Dimmable
Colour Code	830 Warm White
Colour temperature (Kelvin)	3000 Warm White
Colour Rendering (Ra)	80-89
Colour of Light	White
Light colour options	Single Color

Driver Included	Yes
Beam Angle (degree)	100
Luminous Flux (Lumen)	1190
Luminous Efficacy (lm/W)	85
Power factor	>0.90
Installation Depth (mm)	100
Unified Glare Rating	< 28 - for hallways and storage rooms
Optical Cover	PMMA (Polymethyl methacrylate)
Suitable for Outdoor	No
Product Type Category	LED Downlight

## Fixture Information

---

Mounting Method	Recessed
Cut out (mm)	150
IP-rating	IP44
Impact Protection (IK)	IK02 - 0.20 joule
Operating Temperature	-20 to +45
Housing	Aluminium
Colour of the Fixture	White
Colour of material	White
Fixture Connection	PI [Push-in connector 2-pole]
Series	DOWNLIGHT ALU

## Dimensions

---

Height (mm)	52
Diameter (mm)	160

## Sensor Information

---

Type of sensor

No Sensor

### Why Any-lamp?

 Order from the **largest lighting specialist** in Europe  **Customised** quotation

 Up to **7 years warranty**  **Easy** return process

